cradlepoint

CradlePoint ARC CBA750B Series

INTEGRATED MOBILE BROADBAND ADAPTER

Wireless WAN connectivity for distributed business locations



Mobile Broadband to Ethernet Adapter

WIRELESS WAN CONNECTIVITY

The CradlePoint CBA750B integrated mobile broadband series adapters enable easy-to-install wireless WAN connectivity in fixed-business locations. For distributed enterprises like branch offices, retail stores, restaurants, and small businesses, the CBA750B provides 3G/4G wireless network connectivity to keep your business up and running.

FAILOVER MADE SIMPLE

The CradlePoint CBA750B 3G/4G cellular broadband adapter provides IP passthrough capabilities for any device that requires wireless broadband access. For most applications, simply connect the CBA750B to an existing CPE router configured for WAN failover, and it's ready to go. The CBA750B handles the wireless WAN connection through the integrated 3G/4G modem when failover occurs.

PRIMARY CONNECT IS EASY TOO

For temporary networks – or when wired connections are impractical – the CBA750B can serve as a primary-connect device, converting mobile broadband to Ethernet for point-ofsale tools, digital signs, and kiosks.

KEY FEATURES

- Integrated 3G/4G mobile broadband connectivity
- Drop into existing network for a turnkey failover solution
- Remote management capabilities
- Power-over-Ethernet

PERFORMANCE AND RELIABILITY

Engineered for day-in, day-out 24/7 Internet connectivity, the integrated business series products extend the benefits of WiPipe technology across the router and the modem, ensuring reliable connections when you need them. In router mode the CBA750B has access to most of CradlePoint's powerful suite of routing capabilities. Power-over-Ethernet enables flexible mounting location, and external high-gain antennas ensure optimal performance in areas of low signal strength.

WIPIPE CENTRAL: CLOUD-ENABLED MANAGEMENT


Rapidly deploy and dynamically manage networks at geographically distributed stores and branch locations with WiPipe Central, a cloud-enabled application and security platform. WiPipe Central integrates cloud management with your CradlePoint devices to improve productivity, increase reliability, reduce costs, and enhance the intelligence of your network and business operations.

Subscription required. See cradlepoint.com/wipipe for details.

CRADLECARE SERVICES

The CBA750B comes with a standard 1 year warranty. For extended warranties and other enhanced services including enterprise-level support, site surveys, and expert installation, check out CradlePoint's CradleCare suite of services.

Subscription required. See cradlepoint.com/cradlecare for details.



www.cradlepoint.com/ARCCBA750B



ARC CBA750B Integrated Series Cellular Broadband Adapter Key Features and Benefits

The CBA750B seamlessly transfers the power and flexibility of 3G/4G mobile broadband connectivity to your local network for business applications. For optimum efficiency and intelligent performance, deploy and manage with:

WiPipe Central: Cloud-Enabled Management and Application Platform



Internet Access and Device Connectivity

Integrated high-speed 3G/4G modem – see attached specifications

1 Ethernet LAN port for local Ethernet-enabled devices

WiPipe Technology Modem Health Management with 24x7 connection verification ensures the wireless connection will be there when you need it

Security

SPI (stateful packet inspection) firewall and NAT (Network Address Translation) to prevent unwanted access to connected computers

Variety of security features (URL filtering, IP & traffic filtering, DMZ, port forwarding) for safer Internet access

Advanced security mode and reporting to facilitate PCI-DSS compliance

802.1Q VLAN support to isolate, segment, and secure network traffic

Flexibility

First-time setup wizard for easy, swift, and secure setup

One-page dashboard to view router status and configuration

IP passthrough support provides broadband-to-Ethernet adapter; configure automatically with switch or setup wizard

Power-over-Ethernet – enables flexible location for convenience and best reception using existing CAT-5 cabling

Remote management: WiPipe Central™, SNMP v1/2c/3, and CLI over SSH

Data usage tracking with alerts to monitor data usage and avoid overages

Advanced diagnostics tools including: tcpdump, netfilter, traceroute

Service, Support, and Warranty

CradleCare Premier 1, 2, and 3 year Enterprise Support Agreements available with 24/7 technical support, software upgrades, and advanced hardware exchange

Limited 1 year warranty included, access to software updates and hardware repair or replacement – 2 and 3 year warranty extensions available

CradleCare Site Survey and Installation services offered for rapid deployment

Specifications

WAN

Integrated modem – see below for SKU options

LAN

One 10/100 Ethernet port

TEMPERATURE

0°C to 50°C (32°F to 122°F) Operating -20°C to 70°C (-4°F to 158°F) Storage

RELATIVE HUMIDITY (non-condensing) 10% to 85%, operating 5% to 90%, storage

SIZE

9 x 7.25 x 1.6 in (230 x 185 x 40 mm) (ARC LE or LP) 9 x 9.6 x 1.6 in (230 x 244 x 40 mm) (ARC W)

WEIGHT

1.5 lb (600g)

CERTIFICATIONS FCC, CE, IC, carrier (certifications depend on the specific model – see SKUs)

What's In The Box (Integrated Versions)

CBA750B with integrated business-grade modem

External mobile broadband modem antennas (2) (SMA) w/ multiplexing for GPS (on some models)

CAT5 Ethernet cable

12V / 1.5A power supply

Quick Start Guide with warranty information

Accessories

High-gain external antennas (Omni-directional, Patch, Yagi, 12" Mag-mount, 4" Mini mag-mount), see www.cradlepoint.com/CBA750B for more

Requirements

Internet Service Active mobile broadband plan with cellular provider

Browser (to configure router) Minimum of Firefox v2.0, Internet Explorer v7.0, Chrome, or Safari v1.0

Router Details

WAN Security NAT, SPI, ALG, inbound filtering of IP addresses, port blocking, service filtering (FTP, SMTP, HTTP, RPL, SNMP, DNS, ICMP, NNTP, POP3, SSH), protocol filtering, WAN ping (allow/ignore)

Management WiPipe Central[™] cloud-enabled management and application platform (subscription-based); web-based GUI (local management), optional RADIUS or TACACS+ username/password; remote WAN web-based management w/ access control (HTTP, HTTPS); SNMP v1, v2c & v3, CLI over SSH, SSH to serial, SSH to telnet, API; one-button firmware upgrade; modem configuration, update, and management; modem data usage and alerts, per-client data usage; custom AT scripting to modems

Intelligent Routing UPnP, DMZ, virtual server/port forwarding, routing rules, NAT-less routing, wireless WAN-to-LAN IP passthrough, route management, per-interface routing, content filtering, IP filtering, website filtering, per-client Web filtering, local DHCP server, DHCP client, DHCP relay, DNS, DNS proxy; ALGS: PPTP, L2TP, PPPoE passthrough, IPSec passthrough, FTP (passive), FTP (active), SIP, TFTP, IRC, MAC address filtering, Dynamic DNS, VLAN support (802.1Q)

Performance & Health Monitoring Modem Health Management (MHM) improves connectivity of modem, WAN port speed control, WAN failure detection, several levels of basic and advanced logging for troubleshooting

GPS Standalone GPS supported on most models (see attached); GUI mapping as well as local (LAN) or remote (WAN) server logging

cradlepoint

One-year limited hardware warranty only available in the US and Canada. Product specifications are subject to change without notice, and product appearance may differ from image depicted on this package. This product requires either an active subscription from a wireless service provider or an Ethernet-based broadband service from an internet service provider to receive internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2012 CradlePoint, Inc. All rights reserved. CradlePoint, WiPipe™, and the WiPipe logo are trademarks of CradlePoint, Inc. in the US and other countries. Other trademarks are the property of their reserved.

Ordering information

		_		
	Intograted	Ducincoc	Corioo	Doutoro
ARC CBA750B	Integrated	DUSINESS	Series	noulers

ARC CBA750B-LE-VZ	Business series router with dual-mode, high-performance 4G LTE / EVDO wireless WAN connection for the Verizon network
ARC CBA750B-LP-AT	Business series router with dual-mode, high-performance 4G LTE / HSPA+ wireless WAN connection for the AT&T network
ARC CBA750B-W	Business series router with high-performance WIMAX Wireless WAN connection for the Sprint or CLEAR networks

Cloud-Enabled N	langagement and	Application	Diatform
I GIUUU-EHADIEU IN	/lanauement anu	Application	FIGUIUIII

WiPipe Central	Rapidly deploy and dynamically manage networks at geographically distributed stores and branch locations with WiPipe Central, a cloud-enabled application and security platform. WiPipe Central integrates cloud management with your CradlePoint devices to improve productivity, increase reliability, reduce costs, and enhance the intelligence of your network and business operations.
	 Deployment – configure devices by groups or individually, and update firmware easily with a few clicks.
	 Management – monitor device statuses and set proactive alerts for optimized 3G/4G data usage and network uptime.
	• Intelligence – view network analytics, manage security and PCI compliance, and measure mobile customer traffic using WiFi analytics.
	Annual and multi-year licenses available. See cradlepoint.com/wipipe for details.

Enterprise Support Agreements		
CradleCare Premier	When your applications are mission critical, you need the assurance that only the CradleCare Premier plan can provide: 24-hour coverage every day, all year – including holidays. As a CradleCare Premier customer, you will be assigned an account engineer* for consistency and follow up on all your cases, with periodic case reviews provided.	
	 Complete technical support, 24/7 coverage; unlimited 24-hour technical support center assistance; extended warranty; next-day parts replacement; assigned account engineer*; guaranteed response times; online video-based training sessions; software bug fixes and upgrades; advanced replacement; access to CradlePoint Enterprise Advanced Services Knowledge Base and online documentation 	
	*Account engineer for customers with 50+ sites.	
CradleCare	This plan represents an extension of the standard 1-year CradlePoint warranty to 2 or 3 years.	
Warranty Extension	One-time enterprise technical support; software bug fixes; access to CradlePoint Enterprise Advanced Services Knowledge Base and online documentation; hardware repair/replacement	
Accessories (see (CradlePoint's antenna ordering and installation guide for more information)	
Part # 170587-000	Directional Patch antennas for external (outside) mounting (301157)	
Part # 170588-000	Directional Yagi (Log-Periodic) antennas for external (outside) mounting (304411)	
Part # 170586-000	Omni-directional antennas for external (outside) mounting (301202)	
Part # 170605-000	12" Mag-mount antenna	
Part # 170606-000	4" Mini mag-mount antenna	

cradlepoint

One-year limited hardware warranty only available in the US and Canada. Product specifications are subject to change without notice. This product requires an active subscription from a wireless service provider or to receive Internet service. Check with your broadband provider for service coverage, fees, and other charges. © 2013 CradePoint, Inc. In ignits reserved. CradlePoint, WiPipe™, and the WiPipe logo are trademarks of CradlePoint, Inc. in the US and other countries. Other trademarks are the property of their respective owners.

CBA750B-LE-VZ 4G LTE/EVDO for Verizon

Technology: LTE, EVDO Rev A

Downlink Rates: LTE 100 Mbps, EVDO 3.1 Mbps (theoretical)

Uplink Rates: LTE 50 Mbps, EVDO 1.8 Mbps (theoretical)

Frequency Bands:

- LTE Band 13 (700 MHz)
- CDMA EVDO Rev A/1xRTT (800/1900 MHz)

Power: LTE 23 +/- 1 dBm, EVDO 24 +/- 1 dBm (typical conducted)

Module: Sierra Wireless MC7750

Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; maximum torque spec is 7 kgf-cm

GPS: standalone GPS support

Industry Standards & Certs: FCC, Verizon

Modem Model Number: MC200LE

CBA750B-LP-AT 4G/3G LTE/HSPA+ for AT&T

Technology: LTE, HSPA+

Downlink Rates: LTE 100 Mbps, HSPA+ 21.1 Mbps (theoretical)

Uplink Rates: LTE 50 Mbps, HSPA+ 5.76 Mbps (theoretical)

Frequency Bands:

- LTE Band 17 (700 MHz), Band 4 (AWS)
- HSPA+/UMTS (850/1900/2100 MHz)
- GSM/GPRS/EDGE (850/900/1800/1900 MHz)

Power: LTE 23 +/- 1 dBm, UMTS 23 +/- 1 dBm (typical conducted)

Module: Sierra Wireless MC7700

Antennas: two SMA male (plug), 1 dBi (LTE), 2 dBi (Cellular/PCS) gain; finger tighten only; support for GPS on aux connection

GPS: standalone GPS support

Industry Standards & Certs: PTCRB, FCC, IC, AT&T

Modem Model Number: MC200LP

CBA750B-W	4G WIMAX for Sprint or CLEAR	
Technology: WiMAX 802.16e Wave 2		
Downlink Rates: 10 Mbps peak, 6 Mbps average		
Uplink Rates: 5 Mbps peak, 1.2 Mbps average		
Frequency Band: 2,500 MHz band		
Power: 23.5 +/- 0.5 dBm (RSU/CPE)		
Module: Beceem 250 chipset		
Antennas: two SMA male (plug), 5 dBi gain, finger tighten only; maximum torque spec is 7 kgf-cm		
GPS: no GPS support		
Industry Standards & Certs: FCC, Sprint, CLEAR		
Modem Part Number: MC100W		

cradlepoint

wwww.cradlepoint.com/ARCCBA750B